

<u> </u>		
•	Application No.	Applicant(s)
Notice of Allowability	10/535,676	KITAMI, TAKAYUKI
	Examiner	Art Unit
	Jurie Yun	2882
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31:  1.  ☐ This communication is responsive to amendment filed 8/1	S (OR REMAINS) CLOSED in this apply) or other appropriate communication RIGHTS. This application is subject to 3 and MPEP 1308.	olication. If not included will be mailed in due course. THIS
	<u>3/07</u> .	
2. 🔀 The allowed claim(s) is/are <u>1 and 2</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority u</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> </ul>	e been received.	,
· · · · · · · · · · · · · · · · · · ·	· · ·	
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which give	MENT of this application.  nitted. Note the attached EXAMINER	'S AMENDMENT or NOTICE OF
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mu	• •	
(a) ☐ including changes required by the Notice of Draftsper		948) attached
1)  hereto or 2)  to Paper No./Mail Date	= ;	,
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date		Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Notice of Information	Patant Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ol> <li>5. ☐ Notice of Informal F</li> <li>6. ☐ Interview Summary</li> </ol>	• •
·	Paper No./Mail Da 7. ⊠ Examiner's Amendi	te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	/.	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of biological Material	9.  Other	
·		

Application/Control Number: 10/535,676

Art Unit: 2882

## **DETAILED ACTION**

1. The amendment filed 8/13/07 has been entered.

## **EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carl Schlier on 9/21/07.

The application has been amended as follows:

In claim 1, line 1, after "tube" delete ":" and replace with --,--

In claim 1, line 13, after "level" insert --drive--

In claim 2, line 7, delete "detecting means" and replace with --detector--

## Allowable Subject Matter

3. Claims 1 and 2 are allowed.

The following is an examiner's statement of reasons for allowance: Prior art fails to disclose an X-ray apparatus having a rotary anode x-ray tube comprising a memory unit storing drive conditions of various types of a plurality of X-ray tubes for controlling the drive power to be supplied to the stator coil, and a control unit supplying a lower level drive power than the drive conditions to an X-ray tube to detect a power consumed in the stator coil and determining whether a selected one of the drive conditions stored

Application/Control Number: 10/535,676

Art Unit: 2882

in the memory unit and a condition of the detected consumed power match or not, as claimed in claim 1. Claim 2 is allowed due to its dependency on claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jurie Yun whose telephone number is 571 272-2497. The examiner can normally be reached on Monday-Friday 8:30-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on 571 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 4

Examine

September 21, 2007